

---

## Accessibility Statement for Website and Mobile Application

---

### Attachment 1 to the Guidelines on the Accessibility of IT Tools

#### Model Accessibility Statement for Websites and Mobile Applications for Entities under Art. 3, Paragraph 1-bis of Law No. 4 of January 9, 2004.

Soco S.P.A. is committed to making its website accessible, in accordance with Law No. 4 of January 9, 2004. This accessibility statement applies to [www.cieloalto.it](http://www.cieloalto.it).

**Compliance Status: Not compliant** *Note: Select this option only if most of the requirements of the standard or technical specification are not met.*

c) This website does not comply with the requirements of Appendix A of the UNI CEI EN 301549 standard. The case(s) of non-compliance and/or derogation(s) are listed below.

**Inaccessible Content** The content listed below is inaccessible for the following reason(s):

#### a) Non-compliance with Law No. 4 of January 9, 2004.

- **Dialog boxes without accessible names:** Some ARIA elements with the "dialog" or "alertdialog" role lack descriptive labels, making it difficult for screen readers to understand the purpose of pop-up windows (e.g., modal pop-ups).
- **Insufficient contrast between text and background:** Some texts and sections (e.g., paragraphs with c-blue classes on a light background) have an inadequate contrast ratio, causing reading difficulties for people with visual impairments.
- **Form fields without associated labels:** Some form inputs are not correctly associated with descriptive labels, making it difficult for assistive technology users to understand their function.
- **Interactive elements too small or too close together:** Some clickable elements (e.g., buttons, input fields) have insufficient size or spacing, creating difficulties for users with motor disabilities or those navigating from touch devices.
- **Improvable semantic order and DOM structure:** Some elements do not respect the intended semantic or visual order (e.g., tabbing is not always consistent), hindering navigation for those using assistive technologies.
- **Focus management on new content:** When dynamic elements (e.g., pop-ups) are opened, the focus is not always shifted to the new content, creating confusion for screen reader users.
- **HTML5 landmarks not always present or used correctly:** The partial or missing use of semantic landmarks (<nav>, <main>, <aside>, <header>, <footer>, etc.) limits fast navigation for screen reader users.
- **Custom controls lacking ARIA roles or labels:** Some custom interactive controls do not have adequate ARIA roles or descriptive labels, reducing the comprehensibility of their functions.

**Drafting of the Accessibility Statement** This statement was drafted on 04/07/2025. *[The information in the statement must be derived from one of the following analyses: self-assessment carried out directly by the provider using software.]*

**Method for Submitting Reports and Contact Information of the Provider** Any report due to a lack of accessibility on the site can be sent to [accessibility@socoweb.it](mailto:accessibility@socoweb.it), indicating the page where the problem was

found and specifying the type of issue. The provider commits to responding to reports within 30 days of receipt.

**Method for Submitting Reports to AgID (Agency for Digital Italy)** In case of an unsatisfactory response or no response within thirty days to the notification or request, the interested party can submit a report using the following link: [link to AgID reporting tool, which was missing in the original text].

**Information about the Website / Mobile Application**

1. **Publication date of [www.cielotalto.it](http://www.cielotalto.it):** 28/02/2024
2. **Usability tests performed:** No

**Information about the Organization**

1. **Number of employees with disabilities in the administration:** 4
2. **Number of workstations for employees with disabilities:** 2